

SPECS: PRINT + DIGITAL

PRINT AD SPECS

Full Page Float: 8" x 10"

Full Page Trim: 8.75 x 10.875"

Full Page Bleed: 9.0" x 11.125"

Half Page Island: 5.2" x 7"

Half Page Horizontal: 7.875" x 4.5"

Half Page Vertical: 3.875" x 9.5"

Third Page: 2.54" x 9.5"

Third Page Horizontal: 7.875" x 3"

Quarter Page: 3.875" x 4.5"

Acceptable File Format: PDF Only DO NOT INCLUDE CROP OR REGISTRATION MARKS. We only accept PDF files created to PDF/X-1a or High Quality Print (CMYK) settings with all fonts images embedded. We do not accept native or EPS files, original art and/or fonts. We are not responsible for ad reproduction if PDF specifications are not met. Origination, Settings, Color and Resolutions Document size should be built to specified size with no additional border/white space. Ads can be originated in any program that will support the creation of Adobe Portable Document Format (PDF) files. Original program files are not acceptable.

All color images must be saved in CMYK. B&W images may be saved as grayscale. Spot, Pantone (PMS) and RGB are not acceptable. We cannot be held responsible for inaccurate color conversion on ads submitted incorrectly. Embedded image resolution should be at least 300dpi at 100%. We cannot be held responsible for image reproduction is original image is less than specified above. Any traps, overprints or reverses should be done in native file prior to exporting to High-Quality PDF. Full page bleed ads should be created to the trim size of the publication PLUS ADDITIONAL .125" BLEED. For bleed, background should extend at least 1/8" (18pts) on all four sides of ad. DO NOT INCLUDE CROP OR REGISTRATION MARKS. Color Proofs/Digital Reproduction To ensure color matching, every color ad should be accompanied by a color proof, sized at 100% and appearing exactly as the advertiser expects. Some ad elements may appear to print correctly on ink-jet or laser printers but will not print correctly on press. The Monitor is not liable for the final color output if a proof is not supplied.

NEW! - DIGITAL AD SPECS

Digital Ad: 660px x 200px

Every Monitor print ad includes a free banner ad to be placed in our digital magazine. Not sure where to start? Follow these great tips and your banner is sure to be successful: 1) Be unique. Utilizing your company logo and colors will help your banner stand out from the rest; 2) Keep it simple. A bold, clean design can go a long way; 3) Be enticing. A great call to action is the best way to gain clicks on your banner ad.

Maximum Animation Length: 30 seconds or three complete loops
HTML, HTML5 and Third-Party Server Tracking: HTML5 and third-party ad serving/tracking is supported only if complete HTML code is supplied. We support click tracking/cache busting for Doubleclick, Google Ad Sense, Mediaplex and Yahoo! Publisher Network platforms.

SPECS: EMAIL OFFERINGS

E-NEWS

Horizontal Banner: 600px x 120px

Banners on the Daily E-News are horizontal.

Banner Size: Maximum size is 600 pixels wide by 120 pixels high.

All banners have a maximum file size of 30K and should be in JPG or GIF format. Animation is NOT supported. Code-based ad servicing is not supported due to restrictions within most corporate email servers. Please supply the URL to where your banner should link. Third-party ad serving/tracking: because most corporate email systems reject Javascript embedded in email, we cannot accept code-based ad serving.

THOUGHT LEADERSHIP

Company logo: Max file size

Headshot (if applicable): Max file size

Approx. 5 word title, 20 word blurb + link to content

Accepted Formats: .JPG or .PNG

Company logo should be high res, 300 dpi, in CMYK or RGB color format.

We will place the provided content into our Thought Leadership format

DEDICATED EMAIL

Company Image: 1200px x 420px

Company Logo: Max file size

Company Message: Up to 500 words + link

Accepted Formats: .JPG or .PNG

Company image should be high res 300dpi, in CMYK or RGB color format.

Company logo should be 72 or higher dpi, in CMYK or RGB color format.

You may provide up to 500 words of copy + a click through link to more information/content

We will place the provided content into our Dedicated Email format

SPECS: DIRECTORIES + SPOTLIGHT

DIRECTORY PRINT ADS

Full Page Float: 7.75" x 9.875"

Full Page Trim: 8.25" x 10.375"

Full Page Bleed: 8.5" x 10.675"

Third Page: 2.375" x 9.25"

Premium Ad listings are created by Monitor using information provided from an online form.

Acceptable File Format: PDF Only DO NOT INCLUDE CROP OR REGISTRATION MARKS. We only accept PDF files created to PDF/X-1a or High Quality Print (CMYK) settings with all fonts images embedded. We do not accept native or EPS files, original art and/or fonts. We are not responsible for ad reproduction if PDF specifications are not met.

FUNDING SOURCE SPOTLIGHT

Company logo: Max file size

Headshot or image (if applicable): Max file size
Approx. 500 words

Online listings are created by Monitor using information provided from an online form.

Accepted Formats: .JPG, .PNG or .PDF

Company logo and headshot should be high res, 300 dpi, in CMYK color format.

SPECS:

SOCIAL MEDIA, EMPLOYMENT + WEBSITE

SOCIAL MEDIA

Shared Link: Please provide a link to the content you'd like us to share on our social media pages

Shared Post: Please provide a link to the post you'd like us to repost, retweet and share on our social media pages

EMPLOYMENT ADS

Company logo: Max file size
Will be displayed at 250px x 150px

Accepted Formats: .JPG or .PNG
Company logo should be 72 dpi, in CMYK or RGB color format

WEBSITE

Leaderboard: 728px x 90px

Skyscraper: 300px x 600px

Top Box Banner: 300px x 250px

Accepted Formats: GIF, JPG, HTML and HTML5

Maximum Sizes: 40K for GIF/JPG; 200K for HTML and HTML5

URL: Please supply a URL to where your banner should link

Maximum Animation Length: 30 seconds or three complete loops

HTML, HTML5 and Third-Party Server Tracking: HTML5 and third-party ad serving/tracking is supported only if complete HTML code is supplied. We support click tracking/cache busting for Doubleclick, Google Ad Sense, Mediaplex and Yahoo! Publisher Network platforms.